Product data sheet



9-30437

Ziton Addressable Panel Interface Card (APIC)

Direct addressing

The ZP-LSI-1 is an interface which can be attached directly onto the main control board of any LaserSense aspirating detector. The card plugs into the main control board inside the detector enclosure. The board enables the detector to be directly addressed and communicate with the ZP3 main control panel.

Plug in terminals

Detectors are wired onto the loop using plug in terminals located on the LaserSense detector main control board. The detector and interface are easily addressed by switch settings prominently positioned on the card.

Advanced alarm indication

The interface is recognised by the main control panel as device type HSSD and dependant upon the analogue signals received and control panel software installed, will provide the following alarm conditions – Fault, Alert, Pre-alarm, Fire. (Alert not displayed on ZP3 panel)

For ZP control panels operating on software prior to version 3.07 confirmation of available signals should be obtained from Ziton sales department.

Up to 127 sensing devices can be connected to each of the control panel loops.



Details


- Simple LaserSense addressing onto ZP loop
- Ribbon cable connection no hard wiring
- · Piggy backs onto detector main board
- Ease of address setting

9-30437

Ziton Addressable Panel Interface Card (APIC)

Technical specifications

Dhysical	
Physical	
Physical dimensions	PCB 100 (H) x 70 (W)
Net weight	50 g
Environmental	
Relative humidity	0 to 90% noncondensing
Environment	Indoor
Standards & regu	lation
Certification	EN54-20
Model No	
WIOGEI NO	ZP-LSI-1
Description	
Description	LaserSense addressable interface card (APIC)
	LaserSerise addressable interface card (APIC)
Compatibility	
	ZP3 control panels
Mounting	
	Ribbon cable with plug and socket - fixes to
	allotted space on panel main board. (by 3 M4 \times 18mm stand off spacers)
Temperature range	ie
	-10°C to +60°C
Humidity range	
	0 to 90% RH (non condensing)
Dimensions	
	PCB 100mm (H) x 70mm (W)
Weight	
	50g
Publication No	
	PS1839



As a company of innovation, UTC Fire & Security reserves the right to change product specifications without notice. For the latest product specifications, visit UTC Fire & Security online or contact your sales representative.

